

CRANE 01B5

LIFTING CAPACITY 1102 LB

COUNTERBALANCED SWIVEL CRANE LIFT/LOWER POWERED CONTROLLED
SINGLE SPEED NOT ADJUSTABLE



Model		01B5
Drive		Manual
Rotation		360° manual - slewing bearing system
Arm lifting		Electric – push button pendant station
Arm lowering		Electric – push button pendant station
Arm extension		Manual – lockable in 4 positions
Width with arm not rotated	inch.	39
Width with arm rotated at 90°	inch.	45
Max capacity with standard arm	lbs.	1102 * see load chart below
Max capacity with extension PZG1_MBP	lbs.	551 * see load chart below
Max capacity with extension PZG2_MBP	lbs.	452 * see load chart below
Max capacity with extension PZG3_MBP	lbs.	353 * see load chart below
Weight of the crane (counterweight incl.)	lbs.	1410
Battery type standard		Maintenance free AGM
Batteries nos.	pcs	1
Battery voltage / nominal capacity	V / Ah	12 / 70
Lifting motor	W	-
Traction motor	W	-

Available with the following certifications:






Flex Lifting - a brand of AxA Group srl

Via Morandi 21, 40060 Toscanella di Dozza (Bologna) Italy Tel +39 0542673434 email: info@flexlifting.com website: www.flexlifting.com


CRANE 01B5

MAIN DIMENSIONS




CRANE 01B5

DETAILED DIMENSIONS WITH STANDARD ARM




CRANE 01B5L MAIN DIMENSIONS




CRANE 01B5

LOAD CHART STANDARD CONFIGURATION




CRANE 01B5

LOAD CHART WITH OPTIONAL EXTENSION PZG1-MBP



CRANE 01B5

LOAD CHART WITH OPTIONAL EXTENSION PZG2-MBP



CRANE 01B5

LOAD CHART WITH OPTIONAL EXTENSION PZG3-MBP

