

CRANE 01B5P

LIFTING CAPACITY 1102 LB
COUNTERBALANCED SWIVEL CRANE ELECTRIC LIFT AT SINGLE SPEED AND ELECTRIC LOWER AT ADJUSTABLE SPEED



Model		01B5P
Drive		Manual
Rotation		360° manual - slewing bearing system
Arm lifting		Electric – push button pendant station
Arm lowering		Electric – push button pendant station
Arm extension		Manual – lockable in 4 positions
Width with arm not rotated	inch.	39
Width with arm rotated at 90°	inch.	45
Max capacity with standard arm	lbs.	1102 * see load chart below
Max capacity with extension PZG1_MBP	lbs.	551 * see load chart below
Max capacity with extension PZG2_MBP	lbs.	452 * see load chart below
Max capacity with extension PZG3_MBP	lbs.	353 * see load chart below
Weight of the crane (counterweight incl.)	lbs.	1410
Battery type standard		Maintenance free AGM
Batteries nos.	pcs	1
Battery voltage / nominal capacity	V / Ah	12 / 70
Lifting motor	W	-
Traction motor	W	-




Available with the following certifications:



Flex Lifting - a brand of AxA Group srl


Via Morandi 21, 40060 Toscanella di Dozza (Bologna) Italy Tel +39 0542673434 email: info@flexlifting.com website: www.flexlifting.com

CRANE 01B5P MAIN DIMENSIONS




CRANE 01B5P

DETAILED DIMENSIONS WITH STANDARD ARM




CRANE 01B5P MAIN DIMENSIONS




CRANE 01B5P

LOAD CHART WITH STANDARD ARM




CRANE 01B5P

LOAD CHART WITH OPTIONAL EXTENSION PZG1-MBP



CRANE 01B5P

LOAD CHART WITH OPTIONAL EXTENSION PZG2-MBP



CRANE 01B5P

LOAD CHART WITH OPTIONAL EXTENSION PZG3-MBP

