

CRANE ATLAS 1TE3L

LIFTING CAPACITY 2205 LB

**MOTORISED COUNTERBALANCED CRANE WITH RIGID ARM AND TRIPLE TELESCOPIC BOOM
ELECTRIC LIFT/LOWER/EXTEND/RETRACT THROUGH CONTROL LEVERS AT ADJUSTABLE SPEED**



Model		ATLAS 1TE3L
Drive		Electric
Rotation		Rigid arm
Arm lifting		Electric – control lever
Arm lowering		Electric – control lever
Arm extension		Electric – control lever
Width	inch.	31
Max capacity with standard triple boom	lbs.	2205 * see load chart below
Weight of the crane (counterweight incl.)	lbs.	2645
Battery type standard		Maintenance free AGM
Batteries nos.	pcs	2
Battery voltage / nominal capacity	V / Ah	12 / 120
Lifting motor	W	2200
Traction motor	W	1200

Available with






certification only

Flex Lifting - a brand of AxA Group srl


Via Morandi 21, 40060 Toscanella di Dozza (Bologna) Italy Tel +39 0542673434 email: info@flexlifting.com website: www.flexlifting.com

CRANE ATLAS 1TE3L MAIN DIMENSIONS



CRANE ATLAS 1TE3L

DETAILED DIMENSIONS WITH STANDARD TELESCOPIC ELECTRIC TRIPLE BOOM



CRANE ATLAS 1TE3L LOAD CHART

