

CRANE GZ1000

LIFTING CAPACITY 2205 LB

COUNTERBALANCED CRANE WITH RIGID ARM HYDRAULIC LEVER CONTROLLED FAST LIFT DOUBLE ACTION PUMP – FINE CONTROL DESCENT KNOB



Model		GZ1000
Drive		Manual
Rotation		Rigid arm
Arm lifting		Manual – double action lifting pump
Arm lowering		Manual – descent knob
Arm extension		Manual – lockable in 4 positions
Width	inch.	32
Max capacity with standard arm	lbs.	2205 * see load chart below
Max capacity with extension PZF_MBP	lbs.	992 * see load chart below
Weight of the crane (counterweight incl.)	lbs.	2623
Battery type		-
Batteries nos.	pcs	-
Battery voltage / nominal capacity	V / Ah	-
Lifting motor	W	-
Traction motor	W	-






**CE certified – this crane is fully manual operated
therefore the UL certification is not requested**

Flex Lifting - a brand of AxA Group srl


Via Morandi 21, 40060 Toscanella di Dozza (Bologna) Italy Tel +39 0542673434 email: info@flexlifting.com website: www.flexlifting.com

CRANE GZ1000 MAIN DIMENSIONS




CRANE GZ1000

DETAILED DIMENSIONS WITH STANDARD ARM



CRANE GZ1000


LOAD CHART WITH STANDARD ARM



POS.	OVERHANG MM / INCH.	CAPACITY KG / LBS.
1	650 / 25	1000 / 2204
2	850 / 33	835 / 1840
3	1050 / 41	670 / 1477
4	1250 / 49	500 / 1102

CRANE GZ1000

LOAD CHART WITH OPTIONAL EXTENSION PZF_MBP



POS.	OVERHANG MM / INCH.	CAPACITY KG / LBS.
1	1400 / 55	450 / 992
2	1600 / 63	390 / 859
3	1800 / 70	325 / 716
4	2000 / 78	275 / 606