

CRANE OMNIA 2TR

LIFTING CAPACITY 4409 LB

**MOTORISED COUNTERBALANCED CRANE WITH RIGID ARM AND TRIPLE TELESCOPIC BOOM
ELECTRIC LIFT/LOWER/EXTEND/RETRACT THROUGH RADIO CONTROL WITH PROPORTIONAL JOYSTICK**





Model		OMNIA 2TR
Drive		Electric
Rotation		Rigid arm
Arm lifting		Electric – radio control
Arm lowering		Electric – radio control
Arm extension		Electric – radio control
Width	inch.	44
Max capacity with standard triple boom	lbs.	4409 * see load chart below
Weight of the crane (counterweight incl.)	lbs.	4188
Battery type standard		Maintenance free AGM
Batteries nos.	pcs	2
Battery voltage / nominal capacity	V / Ah	12 / 260
Lifting motor	W	3000
Traction motor	W	1200

Available with  certification only

Flex Lifting - a brand of AxA Group srl


Via Morandi 21, 40060 Toscanella di Dozza (Bologna) Italy Tel +39 0542673434 email: info@flexlifting.com website: www.flexlifting.com

CRANE OMNIA 2TR MAIN DIMENSIONS



CRANE OMNIA 2TR

DETAILED DIMENSIONS WITH STANDARD TELESCOPIC ELECTRIC TRIPLE BOOM



CRANE OMNIA 2TR LOAD CHART

